

Kudarauskas, Elizabeth A.

From: Kudarauskas, Elizabeth A.
Sent: Tuesday, May 07, 2013 6:55 AM
To: Osbahr, Bill
Subject: FW: Confidential Maine Inspection

Hi Bill,

Can you please call Bob Hartley about the Sprague testing.

Thanks,
Beth

From: Fontaine, Louis [mailto:Louis.Fontaine@maine.gov]
Sent: Monday, May 06, 2013 10:28 AM
To: Kudarauskas, Elizabeth A.
Cc: McCusker, Thomas; Hartley, Robert W; Simonsen, Dave; Morrison, Ryan L
Subject: RE: Confidential Maine Inspection

Thanks for letting me know Beth. Dave Simonsen may have been too Cold Brook recently. Dave, if you have, can you let Beth know and if send her a copy of your report if it is ready?

Beth, can you ask your stack test personnel to get in touch with Bob Hartley. He knew that EPA had requested a stack test from Sprague but has not heard of the dates and details.

Louis Fontaine, Compliance Manager
Bureau of Air Quality
Maine Department of Environmental Protection
17 SHS
Augusta, ME 04330-0017
(207) 287-7010

From: Kudarauskas, Elizabeth A. [mailto:Kudarauskas.Beth@epa.gov]
Sent: Monday, May 06, 2013 9:51 AM
To: Fontaine, Louis
Cc: McCusker, Thomas
Subject: Maine Inspection

Hi Louis,

I'm hoping to conduct an inspection at Cold Brook Energy in Hampden, Maine this week either Weds 5/8 or Thurs 5/9. I'll be looking at compliance with the area source GACT (40 CFR 63, subpart BBBB) and also looking to see if there is any #6 oil/asphalt storage. Sorry for the short notice, but we just found out that Sprague in Searsport will be starting their testing for asphalt this week and since we will be in the area (and our stack testing guys will be in the area) I would like to get this inspection done.

I was able to get the permit for Cold Brook Energy off the DEP website. But please, feel free to contact me if you have any questions/concerns.

Thanks,
Beth

Elizabeth A. Kudarauskas

Environmental Engineer
U.S. EPA - Region 1
5 Post Office Square, Suite 100
Mail Code: OES 04-2
Boston, MA 02109-3912
617-918-1564